QSIT 2010 - Questions 1

6. Oktober 2010

- 1. State Space in Quantum Mechanics What is the relevant Hilbert space that represents the dynamics of the following systems. Write down their basis states.
 - (a) Two neutrons in a static magetic field.
 - (b) Two neutrons in a magnetic gradient field.
 - (c) A small mirror attached to a spring.
 - (d) A small mirror attached to a spring exposed to laser radiation.
 - (e) A ground-state hydrogen atom at room temperature.
 - (f) A hydrogen atom excited to the state n = 60 at room temperature.
 - (g) A ground-state hydrogen atom exposed to laser radiation at a wavelength of 121 nm.
 - (h) An ensemble of N hydrogen atoms in the ground state at room temperature.
- 2. Bloch Sphere Any quantum state of a spin-1/2 (or two-level system) can be represented on the *Bloch sphere*. Calculate the polar and azimuthal angles of the following states and draw the states on the Bloch sphere.

(a)
$$|\psi\rangle = \frac{1}{\sqrt{3}} \left(|0\rangle + \sqrt{2} |1\rangle \right)$$

(b)
$$|\psi\rangle = \frac{1}{\sqrt{3}} \left(|0\rangle - i\sqrt{2}|1\rangle \right)$$

(c)
$$|\psi\rangle = \frac{e^{i\pi/4}}{\sqrt{3}} \left(|0\rangle - i\sqrt{2}|1\rangle\right)$$

3. Rabi Oscillations

A spin-1/2 particle is placed in a magetic field of magnitude B_z pointing in the z-direction. At time t_0 an additional field B_x is applied in the xdirection. Calculate the expected excited state population as a function of time and draw a diagram. Assume that $B_x \gg B_z$ and that the particle is initially in its ground state. What changes, if the additional magnetic field points in the y-direction instead?